

ATTACHMENTS

for VersaHANDLER™

TELESCOPIC TOOL CARRIERS



One Tough Animal

VersaHANDLER TTC ATTACHMENTS

APPROVED FOR USE ON VersaHANDLER V518

V518 BUCKETS



APPROVED FOR USE ON VersaHANDLER V623

V623 BUCKETS



STYLE	SAE HEAPED CAPACITY (YD³)	*MAXIMUM RATED MATERIAL DENSITY (LB/FT³)	**MINIMUM RATED MATERIAL DENSITY (LB/FT³)	HEIGHT A (INCHES)	LENGTH B (INCHES)	WIDTH OVERALL (INCHES)	WEIGHT OF BUCKET (POUNDS)
V518 BUCKETS							
General Purpose, 80 in. $\times$	1.0	204	74	34.3	41.0	80.75	875
Utility, 90 in.	2.0	93	33	38.2	52.9	90.6	1200
Light Material, 96 in.	3.25	40	16	49.4	61.3	96.0	1770
Combination Bucket, 80 in.	1.0	185	56	37.3	31.9	80.75	1460
V623 BUCKETS							
General Purpose, 90 in. $\times$	1.25	196	59	34.3	42.5	90.2	950
Utility, 90 in.	2.0	93	37	38.2	52.9	90.6	1200
Light Material, 96 in.	3.25	68	23	49.4	61.3	96.0	1770
Combination Bucket, 90 in.	1.25	196	59	37.0	33.5	90.6	1630


$\triangleleft$ Buckets have holes predrilled to accept bolt-on cutting edges.

*Maximum rated material density based on the rated load capacity of the VersaHandler TTC and bucket with boom fully retracted. Refer to the load capacity chart on the machine for complete attachment load range information.

**Minimum rated material density based on the rated load capacity of the VersaHandler TTC and bucket with the boom fully extended. Refer to the load capacity chart on the machine for complete attachment load range information.


GENERAL PURPOSE BUCKET

The strongest of all Bobcat buckets. Ideal for every job from tough digging to material handling. General purpose buckets offer good cutting edge visibility and excellent bucket breakout force for better digging and easier bucket filling.




UTILITY BUCKET

The utility bucket has a longer bottom than the general purpose style. It offers excellent cutting edge visibility and good bucket breakout force. The low-profile utility bucket is ideal for grading, leveling and material handling. Accepts bolt-on cutting edges.




LIGHT MATERIAL BUCKET

The largest of all Bobcat buckets. The large capacity of the bucket is designed for loading and handling various light materials such as mulch, snow and cottonseed. These buckets have high backs and straight sides to penetrate piles with ease. Comes standard with bolt-on cutting edge.



COMBINATION BUCKET

The versatile combination bucket is ideal for a wide variety of applications — dozing, digging, grappling, leveling, loading and dumping. It's built with heavy-duty cutting edges and hydraulic cylinders for long life on construction, demolition, landscaping and municipal jobs.




APPROVED FOR V518 AND V623
BOBCAT VersaHANDLER TTC

ANGLE BROOM



Sweep a clean path with the 84-inch, hydraulically-driven angle broom. Use it to sweep roadways, driveways, loading docks, warehouses and light snowfalls.

Operating Weight 970 lb.
Sweep Width Straight 84 in.
Sweep Width Fully Angled 77 in. @ 25°
Flow Range 15-28 gpm





APPROVED FOR V518 AND V623
BOBCAT VersaHANDLER TTC

GRAPPLE



Grapple bucket or grapple fork allow easy handling of many hard-to-manage materials. Use for agriculture or on construction and industrial jobsites. Built tough for reliability and long life.

Grapple	Fork	Bucket
Operating Weight	1,625 lb.	1,375 lb.
Grapple Width	90 in.	90.6 in.
No. of Grapple Tines	4	4
SAE Heaped Capacity	N/A	1.00 yd



VersaHANDLER TTC ATTACHMENTS

APPROVED FOR V518 AND V623
BOBCAT VersaHANDLER TTC

AUGER



Dig holes with speed and plumb-line accuracy. The heavy-duty hydraulic auger bites in with high torque power and hangs plumb on uneven terrain. Two models.

Model	15C	30C
Operating Weight (less bit)	468 lb.	487 lb.
Digging Depth (without extensions)	62 in.	62 in.
Torque	Med.	High
Speed	Med.	Low




APPROVED FOR V518 AND V623
BOBCAT VersaHANDLER TTC

PALLET FORK



Move bagged, bulky or palletized material with ease.

Pallet Frames	48 in.	72 in.
Operating Weight	520 lb.	670 lb.
Pallet Fork Teeth	Lowback	Highback
Operating Weight (set of 2)	260 lb.	320 lb.
Fork Width	4 in.	4 in.
Fork Back Height	26 in.	39 in.
Fork Length	50 in.	50 in.
Float Up/Down	3 in.	3 in.
Fork Rotation	144°	0°




APPROVED FOR V518 AND V623
BOBCAT VersaHANDLER TTC

BALE HANDLER



Transport round bales. The bale handler is an efficient attachment for moving round bales from the ground onto a trailer or into a bale feeder.

Shipping Weight	375 lb.
Operating Weight	300 lb.
Operating Capacity	2,000 lb.
Length of Spike	54 in.




APPROVED FOR V518 AND V623
BOBCAT VersaHANDLER TTC

TILT CARRIAGE



While on uneven terrain, pick or place pallets from truck beds, scaffolding and roof tops with ease by leveling the tilt carriage to align with the angle of the pallet.

Tilt Carriage*	48 in.	60 in.
Weight	915 lb.	978 lb.
Height	44.5 in.	44.5 in.
Width	50 in.	65 in.
Length (with fork)	70 in.	70 in.
Oscillation (left or right)	± 15°	± 15°



* Tilt carriage accepts standard VersaHandler pallet fork teeth.

APPROVED FOR V518 AND V623
BOBCAT VersaHANDLER TTC

BALE SQUEEZE



Move large square bales or sets of small square bales with ease. Stack, load or transport bales of different sizes; the hydraulic cylinder closes the left arm to ensure a tight grip for handling bales.

Operating Weight	1217 lb.
Height	35 in.
Length	102.5 in.
Overall Width (arm closed)	53 in.
Overall Width (arm open)	85 in.
Width (inside arms closed)	44 in.
Width (inside arms open)	76 in.




APPROVED FOR V518 AND V623
BOBCAT VersaHANDLER TTC

TRUSS BOOM



Speed up construction jobs with this rugged 12-foot boom designed for picking and placing trusses.

Truss Boom	V518	V623
Boom Weight	520 lb.	520 lb.
Boom Height	36 in.	36 in.
Boom Length	144 in.	144 in.
Load Capacity	1,300 lb.	2,000 lb.
Forward Reach	19.5 ft.	22.5 ft.
Lift Height	18 ft.	23.5 ft.



VersaHANDLER™ TTC ...the powerful telescopic utility machine that gets these tough jobs off the ground!



Construction

Light to medium construction duties, such as grading, back-filling, truss placement, material handling, cleanup and excavating.



Municipalities

Mulching, waste transfer, leaf and tree cleanup, loading trucks, choppers and mulching machines, stockpiling, general maintenance and snow removal.



Landscaping

Landscaping contractors, nurseries, tree farms, sod farms. Ideal for loading mulch, loading and unloading sod, sod placement, transporting plants, trees and other landscaping materials, grading, retaining walls.



Industrial

Recycling (plastic, paper, metal), waste handling, sorting material, cleanup, loading conveyors, picking and placing material, loading trucks and waste containers.



Agriculture and Agribusiness

Bale handling, feeding, loading trucks and tub grinders, pulling bale trailers, cleaning pens, handling silage and fertilizer.



Rental Operators

Rent a VersaHANDLER TTC as an attachment carrier, material handler, or for loading. VersaHANDLER TTC can be used in many applications requiring a loader-tractor or small- to mid-size wheel loader. Its ease of operation makes it ideal for rental customers.



Training Resources

Training kits are available through your Bobcat dealer to assist you in complying with OSHA Rule 29 CFR 1910.178(l) for Powered Industrial Trucks. Check out www.Bobcat.com for more information on Bobcat Training Resources.



Hydraulic Quick-Tach

For easy hookup and disconnect of attachments. The operator can even hook up non-hydraulic attachments without leaving the VersaHANDLER TTC cab. Hydraulic Quick-Tach gives you a time-saving edge on every jobsite.

Only approved Bobcat

VersaHandler TTC attachments meet the ASME B56.6 requirements for Bobcat VersaHandler telescopic tool carriers.