

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090E Utility Tractor
Equipment for Base Machine

ENGINE:

90 (67.1 kW) 97/68/EC Engine Horsepower @ 2400 RPM*
75 (55.6 kW) PTO Horsepower @ 2400 RPM*
4 Cylinder Turbocharged John Deere PowerTech PWL
Diesel Engine
EPA Final Tier 4 Emissions Compliant
276 C.I.D. (4.5 L) High Pressure Common Rail
Oil Cooler
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Vertical Exhaust Stack
Anti-Freeze
Water Separator Bowl
Hand and Foot Throttle
Key Engine Shut Off
Fan Finger Guard
Fuel Cooler
30 U.S. Gallon (113.6 L) Fuel Tank Capacity
2.5 U.S. Gallon (9.5 L) DEF Tank Capacity

TRANSMISSION:

PowrReverser Transmission
LH Electrohydraulic (EH) Directional Reverser
Integrated Park Position
Differential Lock
Neutral Start Safety Switch
Wet Traction Clutch

FRONT AXLE AND TIRES:

Mechanical Front Wheel Drive (4 Wheel Drive) Front
Axle
Electro-hydraulic MFWD Engagement
Planetary Final Drives
8-Position Steel Front Wheels

REAR AXLE AND TIRES:

Flanged Rear Axle
Planetary Final Drives
8-Position Steel Rear Wheels

STEERING AND BRAKES:

Hydrostatic Power Steering
Hydraulic Wet Disk Brakes
Self-Equalizing and Self-Adjusting
Dual Stage Brakes

HYDRAULICS:

Open Center Hydraulic System
Tandem Gear Pump 22.5 GPM (85.1 LPM) Maximum Total
Flow
Steering Pump 6.6 GPM (24.9 LPM)
Implement Pump 15.9 GPM (60.1 LPM)
Hydraulic Oil Cooler
Dual Rear SCV Control Valve

POWER TAKE-OFF SHAFT:

Independent 540 RPM/540E
Rear PTO Shaft

Electro-hydraulic PTO engagement @ 2400 Rated
Engine RPM
Economy PTO setting for 540 PTO RPM @ 1716 Engine
RPM
Wet PTO Clutch
Operator Presence Safety
Warning - PTO
Safety Start Switch
Flip Up PTO Shield

ROCKSHAFT, HITCH AND DRAWBAR:

Telescopic Draft Links with Category II Balls
Adjustable Sway Bars
Adjustable Straight Drawbar
Top Link Draft Sensing

INSTRUMENTATION:

LCD Instrument Cluster
Electric Fuel Gauge
Electric DEF Gauge
Tachometer
Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Turn Signal Indicator Light
High Beam Indicator Light
PTO Engagement Indicator Light
MFWD Engagement Indicator Light

ELECTRICAL:

12-Volt Electrical System
One Battery - 950 CCA** with 180 Minute Reserve
Capacity
7-Pin ASAE Outlet Socket
90 Amp Alternator

LIGHTS:

Two Front Halogen Headlights
Two Turn/Warning Lights
Single Rear Work Light

MISCELLANEOUS:

SMV Emblem
Tilt-Up Hood
Side-Mounted Toolbox

* Manufacturer's Rating

** Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

*EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas;
Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington*

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
08A0LV		BASE MACHINE ...Continued... 5090E Utility Tractor	51,590.00
OPERATOR'S MANUAL			
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Operators Manual and Decal Kit	No Added Cost
0437		Spanish Operators Manual and Decal Kit	No Added Cost
TRANSMISSION			
1381		12F/12R PowrReverser Transmission - 540/540E	In Base Price
1383		24F/12R PowrReverser Transmission - 540/540E	1,519.00
OPERATOR'S STATION			
2000		Open Operator Station <i>Fixed Open Operator Station</i> <i>Tilt/ Telescopic Steering Column</i> <i>2 post Foldable Roll- Over Protection Structure (ROPS)</i> <i>Adjustable seat with Armrests and seatbelt</i> <i>Speedometer</i> <i>Cup Holder</i> <i>Deluxe Floor Mat</i> <i>Plexiglass Debris / Air Deflectors with Grab Handles</i>	In Base Price
2050		Standard Cab <i>Left Side Door</i> <i>Air Conditioning</i> <i>Tilt and Telescopic Steering Column</i> <i>Cup Holders</i> <i>Radio/CD Ready (Antenna Cable,Two Speakers, and Wiring Harness)</i> <i>Front Windshield Wiper</i> <i>120 Amp Alternator</i> <i>Two Front Halogen Headlights</i> <i>Six Turn/Warning Lights</i> <i>Two Rear Work Lights</i> <i>Two Front Work Lights</i>	9,391.00
SEAT			
2110		Mechanical Suspension Seat <i>Available on OOS and Cab Tractors.</i>	In Base Price
2120		Air Suspension Seat <i>Available on Cab Tractors only.</i>	731.00
EXHAUST			
3020		Vertical Exhaust <i>Available on Open Operator Station Tractors only.</i>	In Base Price
3025		Deluxe Cornerpost Exhaust <i>Available on Cab Tractors only.</i>	518.00

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REAR SELECTIVE CONTROL VALVES			
3320		Dual Stackable Rear SCV's with Lever Control	In Base Price
3330		Triple Stackable Rear Deluxe SCV's with Lever Control <i>Features:</i> - Three selectable detent positions on #1 valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve.	879.00
MID SELECTIVE CONTROL VALVES			
3400		Less Mid Valves <i>Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.</i>	In Base Price
3420		Dual Stackable Mid Valves with Joystick Control <i>Recommended for applications WITH front loaders.</i>	1,279.00
REAR WHEELS AND TIRES			
5121		16.9 - 30 In. 6PR R1 Bias <i>Requires Code 6111.</i>	-405.00
5911		18.4 - 30 In. 8PR R1 Bias <i>Requires Code 6701.</i>	In Base Price
5914		19.5L - 24 In. 10PR R4 Bias <i>Requires Code 6114.</i>	-427.00
5133		460/85R30 (18.4R30) R1W Radial <i>Requires code 6203 (Firestone).</i>	1,660.00
5180		420/85R30 (16.9R30) R1W Radial <i>Requires code 6180 (Michelin).</i>	1,575.00
FRONT WHEELS AND TIRES			
<i>See Loader Section of the Sales Manual for Front Tire/Loader Compatibility Information.</i>			
6111		11.2 - 24 In. 6PR R1 Bias	-290.00
6114		12.5/80 - 18 In. 6PR I3 (R4 Type) Bias	-775.00
6701		12.4 - 24 In. 8PR R1 Bias	In Base Price
6203		320/85R24 (12.4R24) R1W Radial <i>Firestone Brand</i>	843.00
6180		280/85R24 (11.2R24) R1W Radial <i>Michelin Brand</i>	735.00
FRONT AXLE			
6040		MFWD (4 Wheel Drive)	In Base Price

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT AXLE ...Continued...			
FRONT LOADER PREPARATION PACKAGES			
8912		Loader Preparation Package <i>Hydraulic hoses and hydraulic connections still need to be ordered with loader.</i> <i>Loader Preparation Package only compatible with 520M and 540M loaders (previously the H240 and H260).</i> <i>Includes loader mounting frames and hood guard.</i>	1,706.00
ATTACHMENTS FOR FIELD CONVERSION			
	Alternator		
	RE554568	120 Amp Alternator	764.64
	Backup Alarm		
	LVB25728	Backup alarm kit	176.00
	BLV10120	Beacon light kit <i>Cab tractors only</i>	244.20
	Beacon Lighting		
	RE244176	Beacon Light Kit <i>Open Operator Station only. (Code 2000 and 2005).</i>	271.13
	Cab Equipment		
	AL80126	Rear Mirror Mechanical <i>Cab Compatible Only.</i>	188.10
	AL80127	Rear Mirror Mechanical <i>Cab Compatible Only.</i>	188.10
	Cab Instructional Seat		
	BSJ10125	Instructional Seat Kit, CAB only	633.60
	Cab Operator's Station		
	RE343680	Accessory Mounting Bracket <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	55.81
	LVB24983	Air Seat Suspension Kit (Cab Only) <i>Kit contains seat suspension to change mechanical to air suspension. Kit does NOT include a seat.</i>	749.10
	AH104259	Ash Tray <i>Cab only.</i>	80.75
	BRE10015	Cell Phone Mount Kit	67.10
	AR60937	Cigarette Lighter <i>Cab only.</i>	14.55

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	RE68495	Power Strip with Six Outlets	54.52
	BSJ10264	Right Hand Door Kit (CAB ONLY)	301.40
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i> <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	64.90
	LVB26096	Single horn kit	52.80
		Cold Weather Packages	
	DZ102076	Engine Block Heater (120V)	113.28
		Drawbar	
	R196191	Drawbar - Straight Heavy-Duty	415.15
		Exhaust	
	BSJ10278	Horizontal Side Exhaust <i>5085E and 5100E Only.</i>	2,370.50
		Front Axle	
	AL156778	Hub Extension 60mm, Front, Tread Adjustment <i>Fits MFWD and Rear Axles. Only for axles with 10.82 diameter bolt holes.</i> <i>Tread Setting Should Not exceed 80 In. for Maximum Load Applications.</i>	721.60
		Front Fenders	
	LVB25776	Fixed Front Fender Mounting brackets and hardware kit - (MFWD) without loader <i>Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.</i>	861.30
	AL180328	Front Fenders 320 mm (12.6 In.) Wide (MFWD) <i>Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately.</i> <i>Not compatible with Loaders or HI-CROP Tractors.</i>	93.06
	AL180330	Front Fenders 370 mm (14.6 In.) Wide (MFWD) <i>Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not Compatible with Loaders.</i>	109.66
	AL180327	Front Fenders 420 mm (16.5 In.) Wide (MFWD) <i>Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.</i> <i>Not compatible with Loaders or HI-CROP Tractors.</i>	123.36
		Front Weights	
	R262449	Front Weight Support, 187 Lbs <i>Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.</i>	418.81
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	134.20

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
		Hood Guards	
	BW16765	Hood Guard	440.00
		Hydraulics	
	BSJ10194	Power Beyond Coupler Kit for 5E 4 Cylinder FT4 Tractors <i>Requires, at least, two rear Hydraulic Control Valves. For Hydraulic Motor Applications, Order Code 3330 or BSJ10110 Triple Rear Deluxe Hydraulic Control Valve with Pressure Compensated Flow Control is Recommended. Order Separately.</i>	484.00
		Lighting	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Open Station Only.</i>	66.00
	LVB25720	Auxiliary work light kit (2 lights) <i>Cab Tractors Only. Compatible at Front or Rear of Cab.</i>	156.20
	BSJ10163	Floodlamp/Work Lights, LED, (4 Lights) <i>Cab Only. Use for Front or Rear. Compatible with 5085E, 5100E, 5085M, 5075M, 5090M, 5100M, 5115M, 5100MH CAB Models.</i>	455.40
	BSJ10325	LED HEADLIGHTS	297.00
	BSJ10478	LED ROPS mounted rear work lights	227.70
		Mid Selective Control Valves	
	BSJ10105	3rd Function Mid Hydraulic Control Valve Kit (Converting Dual Mid to Triple Mid) <i>Only for tractors already equipped with Dual Mid Hydraulics. Fits all FT4 5E 4 Cyl. Tractors that already have dual mid SCVs installed.</i>	1,870.00
	BSJ10109	Dual Mid Hydraulic Control Valve Kit with Joystick Control <i>Recommended for applications WITH Front Loaders.</i>	1,460.80
		Mirrors	
	RE244177	Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126. OOS Only. Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	37.48
		Miscellaneous	
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I <i>One required.</i>	16.91
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	19.40
	R133359	Drawbar - Offset	228.60
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	286.28
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	288.49

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	BRE10151	Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00
	BRE10153	Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80
	L154683	Rear Axle 1.2 in. Extension (30 mm) <i>Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), Ordered Separately.</i>	227.28
	L154682	Rear Axle 1.6 in. Extension (40 mm) <i>Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	266.52
	L154684	Rear Axle 4.4 in. Extension (111 mm) <i>Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	376.22
	RE19428	Safety Chain Support Kit	158.04
	AL71345	Security Door Lock Kit	206.80
	AL203265	Service Horn	42.07
		Open Operator's Station	
	LVB25334	Canopy - Standard <i>Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	490.60
	LVB25783	Canopy mounting kit <i>Canopy ordered separately.</i>	77.00
		Operator's Station	
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices.</i>	25.96
		Radio	
	AL222926	Antenna <i>All 5E Series Cab Tractors are "Radio Ready", including Radio Wiring Harness and Speakers as Standard Equipment. Requires Radio Ordered Separately.</i>	113.30
	RE567557	Radio - AM/FM, Bosch (Standard) <i>Cab Only. (Not Satellite Capable)</i>	480.85
		Rear Fenders	
	BSJ10044	Rear Fender Extension Kit without Work Lights <i>Open Station Tractors only.</i>	347.60
	LVB25714	Rear fender extension <i>Cab Tractors only.</i>	227.70

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	BW15741	Stationary fenders (QuikTach) <i>For Tractors with Loader Installed.</i>	607.20
	BSJ10110	Rear Selective Control Valves 3rd Rear SCV (Upgrade from 2 rear SCV) <i>For use with Tractors ALREADY equipped with Dual Rear Valves.</i> <i>Stackable design adds 3rd Function to existing Dual valves.</i> <i>Features:</i> - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	1,004.30
	R213907	Rear Wheel Weights Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel.</i> <i>Starter bolts not included in this kit.</i> <i>R183851 bolt, quantity 8, needed</i>	147.40
	TY27545	Three-point Hitch Quik-Coupler, Economy, Category 2	580.37
	LVB25727	Transmission PowrReverser modulation control kit <i>For 12x12 PR Tractors Only.</i>	160.60

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor
Equipment for Base Machine

ENGINE:

100 (74.6 kW) 97/68/EC Engine Horsepower @ 2400 RPM*
85 (62.5 kW) PTO Horsepower @ 2400 RPM*
4 Cylinder Turbocharged
John Deere PowerTech PWL Diesel Engine
EPA Final Tier 4 Emissions Compliant
276 C.I.D. (4.5 L) High Pressure Common Rail
Oil Cooler
Dry Type Air Cleaner with Safety Element
Underhood Muffler with Vertical Exhaust Stack
Anti-Freeze
Water Separator
Hand and Foot Throttle
Key Engine Shut Off
Fan Finger Guard
Fuel Cooler
30 U.S. Gallon (113.6 L) Fuel Tank Capacity
2.5 U.S. Gallon (9.5 L) DEF Tank Capacity

TRANSMISSION:

PowerReverser Transmission
LH Electrohydraulic (EH) Directional Reverser
Integrated Park Position
Differential Lock
Neutral Start Safety Switch
Wet Traction Clutch

FRONT AXLE AND TIRES:

Mechanical Front Wheel Drive
(4 Wheel Drive) Front Axle
Electro-hydraulic MFWD Engagement
Planetary Final Drives
8-Position Steel Front Wheels

REAR AXLE AND TIRES:

Flanged Rear Axle
Planetary Final Drives
8-Position Steel Rear Wheels

STEERING AND BRAKES:

Hydrostatic Power Steering
Hydraulic Wet Disk Brakes
Self-Equalizing and Self-Adjusting

HYDRAULICS:

Open Center Hydraulic System
Tandem Gear Pump 22.5 GPM
(85.1 LPM) Maximum Total Flow
Steering Pump 6.6 GPM (24.9 LPM)
Implement Pump 15.9 GPM (60.1 LPM)
Hydraulic Oil Cooler
Dual Rear SCV Control Valve

POWER TAKE-OFF SHAFT:

Independent 540 RPM/540E Rear PTO Shaft

Electro-hydraulic PTO engagement @ 2400 Rated

Engine RPM

Economy PTO setting for 540 PTO RPM @ 1716 Engine RPM

Wet PTO Clutch

Operator Presence Safety

Warning - PTO

Safety Start Switch

Flip Up PTO Shield

ROCKSHAFT, HITCH AND DRAWBAR:

Telescopic Draft Links with Category II Balls

Adjustable Sway Chains

Adjustable Straight Drawbar

Top Link Draft Sensing

INSTRUMENTATION:

LCD Instrument Cluster

Electric Fuel Gauge

Electric DEF Gauge

Tachometer

Hour Meter

Oil Pressure Indicator Light

Coolant Temperature Gauge

Alternator Indicator Light

Air Restriction Indicator Light

Turn Signal Indicator Light

High Beam Indicator Light

PTO Engagement Indicator Light

MFWD Engagement Indicator Light

ELECTRICAL:

12-Volt Electrical System

One Battery - 950 CCA** with 180 Minute Reserve Capacity

7-Pin ASAE Outlet Socket

90 Amp Alternator

LIGHTS:

Two Front Halogen Headlights

Two Turn/Warning Lights

Single Rear Work Light

MISCELLANEOUS:

SMV Emblem

Tilt-Up Hood

Side-Mounted Toolbox

* Manufacturer's Rating

** Cold Cranking Amps

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

EX-WORKS Augusta, Georgia; Baltimore, Maryland; Benicia, California; Galveston, Texas; Brunswick, Georgia; Port Hueneme, California; Tacoma, Washington

697BLV

5100E Utility Tractor

53,776.00

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
BASE MACHINE ...Continued...			
OPERATOR'S MANUAL			
0409		English Operators Manual and Decal Kit	In Base Price
0413		French Operators Manual and Decal Kit	No Added Cost
0437		Spanish Operators Manual and Decal Kit	No Added Cost
TRANSMISSION			
1381		12F/12R PowrReverser Transmission - 540/540E	In Base Price
1383		24F/12R PowrReverser Transmission - 540/540E	1,519.00
OPERATOR'S STATION			
2000		Open Operator Station <i>Fixed Open Operator Station</i> <i>Tilt/ Telescopic Steering Column</i> <i>2 post Foldable Roll- Over Protection Structure (ROPS)</i> <i>Adjustable seat with Armrests and seatbelt</i> <i>Speedometer</i> <i>Cup Holder</i> <i>Deluxe Floor Mat</i> <i>Plexiglass Debris / Air Deflectors with Grab Handles</i>	In Base Price
2050		Standard Cab <i>Left Side Door</i> <i>Air Conditioning</i> <i>Tilt and Telescopic Steering Column</i> <i>Cup Holders</i> <i>Radio/CD Ready (Antenna Cable,Two Speakers, and Wiring Harness)</i> <i>Front Windshield Wiper</i> <i>120 Amp Alternator</i> <i>Two Front Halogen Headlights</i> <i>Six Turn/Warning Lights</i> <i>Two Rear Work Lights</i> <i>Two Front Work Lights</i>	9,391.00
SEAT			
2110		Mechanical Suspension Seat <i>Available on OOS and Cab Tractors.</i>	In Base Price
2120		Air Suspension Seat <i>Available on Cab Tractors only.</i>	731.00
EXHAUST			
3020		Vertical Exhaust <i>Available on Open Operator Station Tractors only.</i>	In Base Price
3025		Deluxe Cornerpost Exhaust <i>Available on Cab Tractors only.</i>	518.00
REAR SELECTIVE CONTROL VALVES			

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
3320		REAR SELECTIVE CONTROL VALVES ...Continued... Dual Stackable Rear SCV's with Lever Control	In Base Price
3330		Triple Stackable Rear Deluxe SCV's with Lever Control <i>Features:</i> - Three selectable detent positions on #1 valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve.	879.00
MID SELECTIVE CONTROL VALVES			
3400		Less Mid Valves <i>Recommended for applications WITHOUT front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.</i>	In Base Price
3420		Dual Stackable Mid Valves with Joystick Control <i>Recommended for applications WITH front loaders.</i>	1,279.00
REAR WHEELS AND TIRES			
5121		16.9 - 30 In. 6PR R1 Bias <i>Requires Code 6111.</i>	-405.00
5911		18.4 - 30 In. 8PR R1 Bias <i>Requires Code 6701.</i>	In Base Price
5914		19.5L - 24 In. 10PR R4 Bias <i>Requires Code 6114.</i>	-427.00
5133		460/85R30 (18.4R30) R1W Radial <i>Requires code 6203 (Firestone).</i>	1,660.00
5180		420/85R30 (16.9R30) R1W Radial <i>Requires code 6180 (Michelin).</i>	1,575.00
FRONT WHEELS AND TIRES			
<i>See Loader Section of the Sales Manual for Front Tire/Loader Compatibility Information.</i>			
6111		11.2 - 24 In. 6PR R1 Bias	-290.00
6114		12.5/80 - 18 In. 6PR I3 (R4 Type) Bias	-775.00
6701		12.4 - 24 In. 8PR R1 Bias	In Base Price
6203		320/85R24 (12.4R24) R1W Radial <i>Firestone Brand</i>	843.00
6180		280/85R24 (11.2R24) R1W Radial <i>Michelin Brand</i>	735.00
FRONT AXLE			
6040		MFWD (4 Wheel Drive)	In Base Price

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
FRONT AXLE ...Continued...			
FRONT LOADER PREPARATION PACKAGES			
8912		Loader Preparation Package <i>Hydraulic hoses and hydraulic connections still need to be ordered with loader.</i> <i>Loader Preparation Package only compatible with 520M and 540M loaders (previously the H240 and H260).</i> <i>Includes loader mounting frames and hood guard.</i>	1,706.00
ATTACHMENTS FOR FIELD CONVERSION			
	Alternator		
	RE554568	120 Amp Alternator	764.64
	Backup Alarm		
	LVB25728	Backup alarm kit	176.00
	BLV10120	Beacon light kit <i>Cab tractors only</i>	244.20
	Beacon Lighting		
	RE244176	Beacon Light Kit <i>Open Operator Station only. (Code 2000 and 2005).</i>	271.13
	Cab Equipment		
	AL80126	Rear Mirror Mechanical <i>Cab Compatible Only.</i>	188.10
	AL80127	Rear Mirror Mechanical <i>Cab Compatible Only.</i>	188.10
	Cab Instructional Seat		
	BSJ10125	Instructional Seat Kit, CAB only	633.60
	Cab Operator's Station		
	RE343680	Accessory Mounting Bracket <i>Keep multiple devices secure in even the roughest terrain. Cab models only.</i>	55.81
	LVB24983	Air Seat Suspension Kit (Cab Only) <i>Kit contains seat suspension to change mechanical to air suspension. Kit does NOT include a seat.</i>	749.10
	AH104259	Ash Tray <i>Cab only.</i>	80.75
	BRE10015	Cell Phone Mount Kit	67.10
	AR60937	Cigarette Lighter <i>Cab only.</i>	14.55

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	RE68495	Power Strip with Six Outlets	54.52
	BSJ10264	Right Hand Door Kit (CAB ONLY)	301.40
	BRE10152	Self - Leveling Cup Holder <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i> <i>Keep your favorite beverage within reach and prevent from spilling. Cab models only.</i>	64.90
	LVB26096	Single horn kit	52.80
		Cold Weather Packages	
	DZ102076	Engine Block Heater (120V)	113.28
		Drawbar	
	R196191	Drawbar - Straight Heavy-Duty	415.15
		Exhaust	
	BSJ10278	Horizontal Side Exhaust <i>5085E and 5100E Only.</i>	2,370.50
		Front Axle	
	AL156778	Hub Extension 60mm, Front, Tread Adjustment <i>Fits MFWD and Rear Axles. Only for axles with 10.82 diameter bolt holes.</i> <i>Tread Setting Should Not exceed 80 In. for Maximum Load Applications.</i>	721.60
		Front Fenders	
	LVB25776	Fixed Front Fender Mounting brackets and hardware kit - (MFWD) without loader <i>Requires Fenders (AL180328, AL180330, AL180327) ordered separately through parts.</i>	861.30
	AL180328	Front Fenders 320 mm (12.6 In.) Wide (MFWD) <i>Recommended for use with 8.3-24 and 9.5-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately.</i> <i>Not compatible with Loaders or HI-CROP Tractors.</i>	93.06
	AL180330	Front Fenders 370 mm (14.6 In.) Wide (MFWD) <i>Recommended for use with 12.5/80-18, 11.2-24 and 12.4-24 In. Tires. Requires Mounting Bracket and Hardware Kit (LVB25776) ordered separately. Not Compatible with Loaders.</i>	109.66
	AL180327	Front Fenders 420 mm (16.5 In.) Wide (MFWD) <i>Recommended for use with 13.6-24 In. Tires. Requires Mounting Brackets and Hardware Kit (LVB25776) ordered separately.</i> <i>Not compatible with Loaders or HI-CROP Tractors.</i>	123.36
		Front Weights	
	R262449	Front Weight Support, 187 Lbs <i>Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.</i>	418.81
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	134.20

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
		Hood Guards	
	BW16765	Hood Guard	440.00
		Hydraulics	
	BSJ10194	Power Beyond Coupler Kit for 5E 4 Cylinder FT4 Tractors <i>Requires, at least, two rear Hydraulic Control Valves. For Hydraulic Motor Applications, Order Code 3330 or BSJ10110 Triple Rear Deluxe Hydraulic Control Valve with Pressure Compensated Flow Control is Recommended. Order Separately.</i>	484.00
		Lighting	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light) <i>Open Station Only.</i>	66.00
	LVB25720	Auxiliary work light kit (2 lights) <i>Cab Tractors Only. Compatible at Front or Rear of Cab.</i>	156.20
	BSJ10163	Floodlamp/Work Lights, LED, (4 Lights) <i>Cab Only. Use for Front or Rear. Compatible with 5085E, 5100E, 5085M, 5075M, 5090M, 5100M, 5115M, 5100MH CAB Models.</i>	455.40
	BSJ10325	LED HEADLIGHTS	297.00
	BSJ10478	LED ROPS mounted rear work lights	227.70
		Mid Selective Control Valves	
	BSJ10105	3rd Function Mid Hydraulic Control Valve Kit (Converting Dual Mid to Triple Mid) <i>Only for tractors already equipped with Dual Mid Hydraulics. Fits all FT4 5E 4 Cyl. Tractors that already have dual mid SCVs installed.</i>	1,870.00
	BSJ10109	Dual Mid Hydraulic Control Valve Kit with Joystick Control <i>Recommended for applications WITH Front Loaders.</i>	1,460.80
		Mirrors	
	RE244177	Rear View Mirror Mounting Kit OOS <i>Requires AL80127 and/or AL80126. OOS Only. Kit contains support plates and hardware for one rear view mirror. Mirror not included.</i>	37.48
		Miscellaneous	
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I <i>One required.</i>	16.91
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	19.40
	R133359	Drawbar - Offset	228.60
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	286.28
	RE39829	Drawbar Clevis Kit (Hammer Strap) - Straight Drawbar	288.49

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	BRE10151	Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00
	BRE10153	Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80
	L154683	Rear Axle 1.2 in. Extension (30 mm) <i>Two required. Requires (16) 19M9364 Cap Screws (8 per Extension), Ordered Separately.</i>	227.28
	L154682	Rear Axle 1.6 in. Extension (40 mm) <i>Two required. Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	266.52
	L154684	Rear Axle 4.4 in. Extension (111 mm) <i>Two required. Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	376.22
	RE19428	Safety Chain Support Kit	158.04
	AL71345	Security Door Lock Kit	206.80
	AL203265	Service Horn	42.07
		Open Operator's Station	
	LVB25334	Canopy - Standard <i>Requires LVB25783 Canopy Mounting Bracket and Hardware Kit ordered separately.</i>	490.60
	LVB25783	Canopy mounting kit <i>Canopy ordered separately.</i>	77.00
		Operator's Station	
	RE566705	Dual USB Charger <i>Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices.</i>	25.96
		Radio	
	AL222926	Antenna <i>All 5E Series Cab Tractors are "Radio Ready", including Radio Wiring Harness and Speakers as Standard Equipment. Requires Radio Ordered Separately.</i>	113.30
	RE567557	Radio - AM/FM, Bosch (Standard) <i>Cab Only. (Not Satellite Capable)</i>	480.85
		Rear Fenders	
	BSJ10044	Rear Fender Extension Kit without Work Lights <i>Open Station Tractors only.</i>	347.60
	LVB25714	Rear fender extension <i>Cab Tractors only.</i>	227.70

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5100E Utility Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	BW15741	Stationary fenders (QuikTach) <i>For Tractors with Loader Installed.</i>	607.20
	BSJ10110	Rear Selective Control Valves 3rd Rear SCV (Upgrade from 2 rear SCV) <i>For use with Tractors ALREADY equipped with Dual Rear Valves.</i> <i>Stackable design adds 3rd Function to existing Dual valves.</i> <i>Features:</i> - Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent) - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve	1,004.30
	R213907	Rear Wheel Weights Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel.</i> <i>Starter bolts not included in this kit.</i> <i>R183851 bolt, quantity 8, needed</i>	147.40
	TY27545	Three-point Hitch Quik-Coupler, Economy, Category 2	580.37
	LVB25727	Transmission PowrReverser modulation control kit <i>For 12x12 PR Tractors Only.</i>	160.60

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090EL Specialty Tractor
Equipment for Base Machine

ENGINE:

90 (67.1 kW) 97/68/EC Engine Horsepower @ 2400 RPM*
75 (55.6 kW) PTO Horsepower @ 2400 RPM*
4 Cylinder Turbocharged John Deere PowerTech PWL
Diesel Engine
EPA Final Tier 4 Emissions Compliant
276 C.I.D. (4.5 L) High Pressure Common Rail
Oil Cooler
Dry Type Air Cleaner with Safety Element
Anti-Freeze
Water Separator Bowl
Hand and Foot Throttle
Key Engine Shut Off
Fan Finger Guard
Fuel Cooler
30 U.S. Gallon (113.6 L) Fuel Tank Capacity
2.5 U.S. Gallon (9.5 L) DEF Tank Capacity

TRANSMISSION:

PowerReverser Transmission
LH Electrohydraulic (EH) Directional Reverser
Integrated Park Position
Differential Lock
Neutral Start Safety Switch
Wet Traction Clutch

FRONT AXLE AND TIRES:

Mechanical Front Wheel Drive (4 Wheel Drive) Front
Axle
Electro-hydraulic MFWD Engagement
Planetary Final Drives
8-Position Steel Front Wheels

REAR AXLE AND TIRES:

Flanged Rear Axle
Planetary Final Drives
8-Position Steel Rear Wheels

STEERING AND BRAKES:

Hydrostatic Power Steering
Hydraulic Wet Disk, Dual Stage Brakes
Self-Equalizing and Self-Adjusting

HYDRAULICS:

Open Center Hydraulic System
Tandem Gear Pump 22.5 GPM (85.1 LPM) Maximum Total
Flow
Steering Pump 6.6 GPM (24.9 LPM)
Implement Pump 15.9 GPM (60.1 LPM)
Hydraulic Oil Cooler
Dual Rear SCV Control Valve

POWER TAKE-OFF SHAFT:

Independent 540 RPM/540E

Rear PTO Shaft

Electro-hydraulic PTO engagement @ 2400 Rated
Engine RPM
Economy PTO setting for 540 PTO RPM @ 1716 Engine
RPM
Wet PTO Clutch
Operator Presence Safety
Warning - PTO
Safety Start Switch
Flip Up PTO Shield

ROCKSHAFT, HITCH AND DRAWBAR:

Telescopic Draft Links with Category II Balls
Adjustable Sway Bars
Adjustable Straight Drawbar
Top Link Draft Sensing

INSTRUMENTATION:

LCD Instrument Cluster
Electric Fuel Gauge
Electric DEF Gauge
Tachometer
Hour Meter
Oil Pressure Indicator Light
Coolant Temperature Gauge
Alternator Indicator Light
Air Restriction Indicator Light
Turn Signal Indicator Light
High Beam Indicator Light
PTO Engagement Indicator Light
MFWD Engagement Indicator Light

ELECTRICAL:

12-Volt Electrical System
One Battery - 950 CCA** with 180 Minute Reserve
Capacity
7-Pin ASAE Outlet Socket
90 Amp Alternator

LIGHTS:

Two Front Halogen Headlights
Two Turn/Warning Lights
Single Rear Work Light

MISCELLANEOUS:

SMV Emblem
Tilt-Up Hood

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
------	-----------------------	-------------	-------------------------------

Select One Code From Each Required Category

BASE MACHINE

08E0LV	5090EL Specialty Tractor	53,728.00
--------	--------------------------	-----------

OPERATOR'S MANUAL

0409	English Operators Manual and Decal Kit	In Base Price
------	--	---------------

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090EL Specialty Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
0413		OPERATOR'S MANUAL ...Continued... French Operators Manual and Decal Kit	No Added Cost
0437		Spanish Operators Manual and Decal Kit	No Added Cost
TRANSMISSION			
1381		12F/12R PowrReverser Transmission - 540/540E	In Base Price
1383		24F/12R PowrReverser Transmission 540/540E	1,519.00
OPERATOR'S STATION			
2000		Fixed Open Operator Station Tilt/ Telescopic Steering Column 2 post Foldable Roll- Over Protection Structure (ROPS) Speedometer Cup Holder Deluxe Floor Mat Plexiglass Debris / Air Deflectors with Grab Handles	In Base Price
SEAT			
2110		Mechanical Suspension Seat Features 15 degree swivel	In Base Price
EXHAUST			
3010		Horizontal Side Exhaust	In Base Price
REAR SELECTIVE CONTROL VALVES			
3320		Dual Stackable Rear SCV's with Lever Control	In Base Price
3330		Triple Stackable Rear SCV's with Lever Control Features: - Three selectable detent positions on #1 valve (auto kickout, continuous flow, or no detent) - Float position on EACH valve - Flow priority to #1 valve - Pressure compensated flow control for running hydraulic motors on #1 valve.	879.00
MID SELECTIVE CONTROL VALVES			
3400		Less Mid Valves Recommended for applications <i>WITHOUT</i> front loaders. Can later be upgraded for front loader and/or other hydraulic applications using field-installed attachments.	In Base Price
3420		Dual Stackable Mid Valves with Joystick Control Recommended for applications <i>WITH</i> front loaders.	1,279.00
REAR WHEELS AND TIRES			
5121		16.9-30 In. 6PR R1 Bias Requires Code 6111	No Added Cost
5914		19.5L - 24 In. 10PR R4 Bias	In Base Price

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090EL Specialty Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
REAR WHEELS AND TIRES ...Continued...			
<i>Requires Code 6114</i>			
5175		480/65R24 R1 Radial <i>Requires Code 6175</i>	387.00
5180		420/85R30 (16.9R30) R1W Radial <i>Requires Code 6180</i>	2,002.00
FRONT WHEELS AND TIRES			
6111		11.2 - 24 In. 6PR R1 Bias	485.00
6114		12.5/80 - 18 In. 6PR I3 (R4 type) Bias	In Base Price
6175		12.5/80-18 10PR I3 Bias Titan	63.00
6180		280/85R24 (11.2R24) R1W Radial	1,510.00
FRONT AXLE			
6040		MFWD (4 Wheel Drive)	In Base Price
REAR FENDERS			
8022		Rear Fender Extensions <i>Adds an additional 8.8 inches (224mm) extension per fender</i>	248.00
8024		Rear Fender Extensions - Wide <i>Adds an additional 15.2 inches (385mm) extension per fender</i>	426.00
FRONT LOADER PREPARATION PACKAGES			
8912		Loader Preparation Package <i>Hydraulic hoses and hydraulic connections still need to be ordered with loader. Loader Preparation Package only compatible with 520M and 540M loaders. Includes loader mounting frames and hood guard.</i>	1,706.00
GUARDS			
8330		Guarding Package <i>Features guarding for fuel tank and steering line</i>	857.00
LIGHTING EQUIPMENT			
873A		Rear Work Lights - LED <i>Upgrades ROPS mounted rear work light from single Halogen to two LEDs</i>	181.00
ATTACHMENTS FOR FIELD CONVERSION			
	RE554568	Alternator 120 Amp Alternator	764.64

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090EL Specialty Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
		Backup Alarm	
	LVB25728	Backup alarm kit	176.00
		Cold Weather Packages	
	DZ102076	Engine Block Heater (120V)	113.28
		Drawbar	
	R196191	Drawbar - Straight Heavy-Duty	415.15
		Front Axle	
	AL156778	Hub Extension 60mm, Front, Tread Adjustment <i>Fits MFWD and Rear Axles. Only for axles with 10.82 diameter bolt holes. Tread Setting Should Not exceed 80 In. for Maximum Load Applications.</i>	721.60
		Front Weights	
	R262449	Front Weight Support, 187 Lbs <i>Requires (4) 19M8100 Cap Screws and (4) 24M7242 Washers, ordered separately.</i>	418.81
	R127764	Weight, front suitcase 43 kg (95 lb) quantity of one	134.20
		Fuel Tank	
	BSJ10477	Shield kit, Fuel Tank	154.00
		Hood Guards	
	BW16765	Hood Guard	440.00
		Hydraulics	
	BSJ10194	Power Beyond Coupler Kit for 5E 4 Cylinder FT4 Tractors <i>Requires, at least, two rear Hydraulic Control Valves. For Hydraulic Motor Applications, Order Code 3330 or BSJ10110 Triple Rear Deluxe Hydraulic Control Valve with Pressure Compensated Flow Control is Recommended. Order Separately.</i>	484.00
		Lighting	
	LVB25547	Auxiliary Rear Work Light Kit (1 Light)	66.00
	BSJ10325	LED HEADLIGHTS	297.00
	BSJ10478	LED ROPS mounted rear work lights	227.70
		Mid Selective Control Valves	
	BSJ10105	3rd Function Mid Hydraulic Control Valve Kit (Converting Dual Mid to Triple Mid) <i>Only for tractors already equipped with Dual Mid Hydraulics. Fits all FT4 5E 4 Cyl. Tractors that already have dual mid SCVs installed.</i>	1,870.00

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090EL Specialty Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION ...Continued...	
	BSJ10109	Dual Mid Hydraulic Control Valve Kit with Joystick Control <i>Recommended for applications WITH Front Loaders. Must also order (1) SU54208 and (1) 19M7866</i>	1,460.80
		Miscellaneous	
	T12553	Center Link Conversion Bushing, Cat. II to Cat. I <i>One required.</i>	16.91
	R66432	Draft Link Conversion Bushing, Cat. II to Cat. I <i>Two required.</i>	19.40
	R133359	Drawbar - Offset	228.60
	RE39830	Drawbar Clevis Kit (Hammer Strap) - Offset Drawbar	286.28
	BRE10151	Front Utility Box <i>Must also order Front Utility Box Bracket (BRE10153). Utility Box is intended for front tractor mounting only.</i>	374.00
	BRE10153	Front Utility Box Bracket <i>Compatible only with front suitcase weight R127764. You must have a minimum of 4 suitcase weights and a maximum of 22 suitcase weights.</i>	129.80
	AL213203	Lockable Filler Cap Fuel Tank	34.06
	L154683	Rear Axle 1.2 in. Extension (30 mm) <i>Two required.</i> <i>Requires (16) 19M9364 Cap Screws (8 per Extension), Ordered Separately.</i>	227.28
	L154682	Rear Axle 1.6 in. Extension (40 mm) <i>Two required.</i> <i>Requires (16) 19M8979 Cap Screws (8 per Extension), Ordered Separately.</i>	266.52
	L154684	Rear Axle 4.4 in. Extension (111 mm) <i>Two required.</i> <i>Requires (16) 19M9365 Cap Screws (8 per Extension), Ordered Separately.</i>	376.22
	RE19428	Safety Chain Support Kit	158.04
		Rear Fenders	
	BSJ10044	Rear Fender Extension Kit without Work Lights	347.60
		Rear Selective Control Valves	
	BSJ10110	3rd Rear SCV (Upgrade from 2 rear SCV) <i>For use with Tractors ALREADY equipped with Dual Rear Valves.</i> <i>Stackable design adds 3rd Function to existing Dual valves.</i> <i>Features:</i> <i>- Selectable detent position remains on first valve (auto kickout, continuous flow, or no detent)</i> <i>- Flow priority to #1 valve</i> <i>- Pressure compensated flow control for running hydraulic motors on #1 valve</i>	1,004.30

AGRICULTURAL PRODUCTS
JOHN DEERE TRACTORS

5090EL Specialty Tractor
Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
ATTACHMENTS FOR FIELD CONVERSION ...Continued...			
R213907		Rear Wheel Weights Weight, rear wheel - 43.09 kg (95 lb) <i>Not compatible on wheels sized 24" or smaller. Maximum of 2 per wheel.</i> <i>Starter bolts not included in this kit.</i> <i>R183851 bolt, quantity 8, needed</i>	147.40
TY27545		Three-point Hitch Quik-Coupler, Economy, Category 2	580.37
LVB25727		Transmission PowrReverser modulation control kit <i>For 12x12 PR Tractors Only.</i>	160.60