



PRODUCT BULLETIN

New Fiberglass Cross-Step ladder FXS1400HD Series - Type IAA

Now available!



***The evolution in ladders is here!!!
Meets ANSI, OSHA & CSA standards
Patent Pending***



PRODUCT BULLETIN

Cross Step FXS1400HD
Type IAA 375-lb duty rating

Positions 2 in 1



Step



Shelf - Straight

Cross Step FXS1400HD Type IAA 375-lb duty rating

Features



The non-marring bonded rubber tread protects the work surface and creates a slip resistant grip when placed on buildings, walls, poles and inside - outside corners.

Patented by Louisville

V-Shaped ProTop

Latch

The unique and innovative locking mechanism, allows positioning as a straight ladder.

When unlocked, this shelf ladder now sets up as a step ladder.



Open - Unlocked



Closed - Locked



PRODUCT BULLETIN

Cross Step FXS1400HD Type IAA 375-lb duty rating

Features

SHOX, the impact absorption mechanism protects fiberglass and the step.

Patented by Louisville

Raptor Boot is a slip-resistant heavy duty shoe with a bonded tread to increase the stability of the ladder and the upper boot protects the fiberglass railing.

Patented by Louisville

Inside Spreader Braces for protection during transport.





PRODUCT BULLETIN

Cross Step FXS1400HD Type IAA 375-lb duty rating

Features

ProTop with a curved ergonomic front, magnet and tool slots allowing quick and easy access to your tools and work materials.

Patented by Louisville



Every step on the ladder has:

- wide back braces on the back section for rigidity





PRODUCT BULLETIN

Cross Step FXS1400HD Type IAA 375-lb duty rating

The angles of the step ladder allow the capability to get in 6" closer to the work area.

Product Specs

Cross Step Series			Dimensions				Stepladder		Straight Ladder	
Model	Ladder Size (ft)	Step Depth (in)	Bottom Width (in)	Spread (in)	Weight (lbs)	Cubic ft.	Max. Standing Height (ft – in)	Max. Reach (ft – in)	Max. Standing Height (ft – in)	Max. Reach (ft – in)
FXS1404HD	4'	3"	20 1/4"	24"	16	4.0	1' 11"	8' 6"	11"	7' 6"
FXS1406HD	6'	3"	23 1/4"	36"	23	6.8	3' 9"	10' 4"	2' 10"	9' 5"
FXS1408HD	8'	3"	26 1/4"	48"	31	10.1	5' 8"	12' 3"	4' 9"	11' 4"
FXS1410HD	10'	3"	29 1/4"	60"	39	14.0	7' 7"	14' 2"	6' 8"	13' 3"
FXS1412HD	12'	3"	32 3/8"	71"	48	18.5	9' 6"	16' 1"	8' 6"	15' 1"


Replacement Part	Model
4-Shoes (Raptor Boot)	PK1027B
V-Shaped ProTop	PK1028B
Label Kit	PK-FXS1400
Latch	PK1033
Spreader Brace 4ft & 6ft	PK1029
Spreader Brace 8ft	PK1030
Spreader Brace 10ft	PK1031
Spreader Brace 12ft	PK1032



LOUISVILLE
LADDER

PRODUCT BULLETIN

Cross Step FXS1400HD Type IAA 375-lb duty rating



Videos (2)

<https://youtu.be/iZ-q7RBAJCO>

<https://youtu.be/ATYjOuiNDnk>

Flyer & Images

https://www.dropbox.com/sh/ouj18s16gob9tb3/AABATi3PfKR_qUpX8Pku1PQKa?dl=0

Video & Flyer

Alex Griffin – Marketing Coordinator

Pricing:

Adolfo Cordon – Business Development Manager

Web Content:

Jose Alvaro de León – Digital Marketing Coordinator

FOR MORE INFORMATION, CONTACT:

Mario Mier, Product Specialist

Phone: 502 635 9384

Fax: 502 635 9304

Email: mario.mier@louisvilleladder.com