

TW SERIES BRUSH CHIPPERS



***MADE FOR **MORE**
TO KEEP PACE WITH **YOU!*****



MORBARK®

TW SERIES



MORBARK®

TW SERIES

TW 160 PH	1
TW 230HB Gasoline	2
TW 230HB Diesel	3
TW 230VTR Gasoline	4
TW 230VTR Diesel	5
TW 280PHB	6
TW 280FTR	7
TW SERIES PARTS & WARRANTY	8

BRUSH CHIPPERS



TW 160PH BRUSH CHIPPER

GENERAL	US	METRIC
Height	6'11"	2.1 m
Width	5'2"	1.27 m
Length (tray up)	10'	3 m
Length (tray down)	11'8"	3.6 m
Weight	1,340 lb	628 kg
Engine	Honda	
Horsepower	22 HP (16.4 kW)	
Fuel capacity	4.75 gallons	18 L
Knives	2 X 4.25" (109mm) double-sided, fully hardened	

EQUIPMENT HIGHLIGHTS

- 22 HP gas-powered Honda engine.
- Dual, ergonomic heavy duty infeed controls
- 2x quick access double-sided reversible blades
- 280° adjustable discharge chute
- Easy maintenance and servicing accessibility
- Two years or 3,000 hours warranty on Morbark manufactured components, 1 year vendor purchased components warranty

TW SERIES



TW 230HB GAS BRUSH CHIPPER

GENERAL	US	METRIC
Height	7'1"	2.2 m
Width	5'	1.5 m
Length (tray up)	9'10"	3 m
Length (tray down)	11'6"	3.5 m
Weight	1,566 lb	710 kg
Engine	Vanguard Briggs & Stratton	
Horsepower	37 HP (27.6 kW)	
Fuel capacity	4.8 gallons	18 L
Knives	2 X 5" (135mm) double-sided, fully hardened	

EQUIPMENT HIGHLIGHTS

- 37 HP gasoline-powered Vanguard Briggs & Stratton Engine.
- Class leading 6 ¼" x 9" infeed opening.
- Quad force rollers for ultimate crushing power.
- Lightweight and maneuverable.
- Dual, ergonomic heavy duty infeed controls.
- Quick blade access and removable side panels for easy maintenance and servicing accessibility.
- Double-sided reversible blades.

BRUSH CHIPPERS



TW 230HB DIESEL BRUSH CHIPPER

GENERAL	US	METRIC
Height	7'1"	2.2 m
Width	5'	1.5 m
Length (tray up)	9'10"	3 m
Length (tray down)	11'6"	3.5 m
Weight	1,566 lb	710 kg
Engine	Kubota	
Horsepower	24.8 HP (27.6 kW)	
Fuel capacity	4.8 gallons	18 L
Knives	2 X 5" (135mm) double-sided, fully hardened	

FEATURES AND BENEFITS

- 24.8 HP diesel-powered Kubota engine.
- Class leading 6 ¼" x 9" infeed opening.
- Quad force rollers for ultimate crushing power.
- Lightweight and maneuverable.
- Dual, ergonomic heavy duty infeed controls.
- Quick blade access and removable side panels for easy maintenance and servicing accessibility.
- Double-sided reversible blades.

TW SERIES



TW 230VTR GAS BRUSH CHIPPER

GENERAL	US	METRIC
Height	7'6"	2.2 m
Width	2'7" - 4'2"	810-1,300 mm
Length (tray up)	8'6"	2.6 m
Length (tray down)	11'6"	3.5 m
Weight	2,628 lb	1,192 kg
Engine	Briggs & Stratton	
Horsepower	37 HP (27.6 kW)	
Fuel capacity	9.5 gallons	36 L
Knives	2 X 5.3" (135mm) double-sided, fully hardened	

FEATURES AND BENEFITS

- 37 HP Briggs and Stratton gasoline engine
- Class leading 6.25" x 9" infeed opening
- Quad force rollers for ultimate crushing power
- Quick release infeed tray – no tools required
- Dual, ergonomic heavy duty infeed controls
- Anti-vibration folding operator control platform
- Integrated track recovery system

BRUSH CHIPPERS



TW 230VTR DIESEL BRUSH CHIPPER

GENERAL	US	METRIC
Height	7'6"	2.2 m
Width	2'7" - 4'2"	810-1,300 mm
Length (tray up)	8'6"	2.6 m
Length (tray down)	11'6"	3.5 m
Weight	2,628 lb	1,192 kg
Engine	Kubota	
Horsepower	24.8 HP (27.6 kW)	
Fuel capacity	9.5 gallons	36 L
Knives	2 X 5.3" (135mm) double-sided, fully hardened	

FEATURES AND BENEFITS

- 24.8 HP Kubota diesel engine
- Class leading 6.25"x 9" infeed opening
- Quad force rollers for ultimate crushing power
- Quick release infeed tray – no tools required
- Dual, ergonomic heavy duty infeed controls
- Anti-vibration folding operator control platform
- Integrated track recovery system

TW SERIES



TW 280PHB GAS BRUSH CHIPPER

GENERAL	US	METRIC
Height	7'10"	2.4 m
Width	5'3"	1.64 m
Length (tray up)	9'2"	3.3 m
Length (tray down)	10'9"	3.86 m
Weight	2,630 lb	1,193 kg
Engine	Kubota WG 1605 Gas	
Horsepower	57 HP (42.5 kW)	
Fuel capacity	9.5 gallons	36 L
Knives	2 X 6" (158mm) double-sided, fully hardened	

FEATURES AND BENEFITS

- 57 HP Kubota gasoline engine
- Quad force rollers for ultimate crushing & infeed power
- Lightweight and maneuverable
- Dual, ergonomic, heavy-duty infeed controls
- Double-sided reversible knives
- Two years or 3,000 hours warranty on Morbark manufactured components, 1 year vendor purchased components warranty.

BRUSH CHIPPERS



TW 280FTR GAS BRUSH CHIPPER

GENERAL	US	METRIC
Height	7'7"	2.3 m
Width	4'8"	1.3 m
Length (tray up)	9'5"	2.8 m
Length (tray down)	12'	3.6 m
Weight	3,509 lb	1,592 kg
Engine	Kubota WG 1605 Gas	
Horsepower	57 HP (42.5 kW)	
Fuel capacity	9.5 gallons	36 L
Knives	2 X 6" (158mm) double-sided, fully hardened	

FEATURES AND BENEFITS

- 57 HP Kubota gasoline engine
- Quad force rollers for ultimate crushing & infeed power
- Anti-vibration folding operator control platform
- Dual Speed Tracking System
- Integrated Track Recovery System
- Dual, ergonomic, heavy-duty infeed controls

TW SERIES



GENUINE TW SERIES REPLACEMENT PARTS

Your TW Series Brush Chipper is fully-equipped with TW original parts, each designed to fit and perform perfectly with the other. To maintain the safety and performance of your machine it's important to continue using replacement parts of the same high quality standards.

Genuine TW Series replacement parts are available through your locally, authorized dealer. To find your local dealer, go to <https://dealers.morbark.com>.

To order parts, simply locate the serial number on your machine, your dealer will need this number in order to ensure replacement parts are suitable for your brush chipper.

BRUSH CHIPPERS



TW SERIES SERVICE AND WARRANTY

All TW Series Brush Chippers carry a two-years or 3,000 hours warranty on Morbark manufactured components, and 1-year vendor purchased components warranty.

TW Series Brush Chippers are easy to maintain, simple and quick to service and very reliable.

If you have an issue with your TW Series brush chipper during its warranty period, please contact the local authorized dealer in your neck of the woods.

To find your local dealer, go to <https://dealers.morbark.com>.



MORBARK®

MADE FOR *MORE*
TO KEEP PACE WITH *YOU!*

www.morbark.com