

niftylift



niftylift.com



nifty TM34



40ft 6in
(A)



34ft
(B)



16ft 6in
(C)



kg/lb 2630lbs



kg/lb 500lbs



3ft 7in x 2ft 2in



6ft 3in



1.5m
4ft 11in




8ft 10in



18ft 10in



B⁺Energy





nifty TM34T



40ft
(A)



33ft 6in
(B)



20ft
(C)



3100lbs



500lbs



3ft 7in x 2ft 2in



6ft 3in



4ft 11in



11ft 8in




14ft 9in



Option



Bi-Energy





nifty TM42T



48ft 6in
(A)



42ft
(B)



25ft
(C)



3915lbs



500lbs



4ft 7in x 2ft 4in



6ft 7in



5ft 3in



12ft 6in




18ft 3in



Option




Bi-Energy





nifty *TM50*



56ft
(A)



49ft 6in
(B)



28ft 6in
(C)



4760lbs



500lbs



Option



3ft 7in x 2ft 2in



7ft



5ft 5in



14ft 5in




20ft 4in



Option



BⁱEnergy





nifty TM64



69ft
(A)



62ft 6in
(B)



39ft 6in
(C)



7700lbs



500lbs



100°



4ft 7in x 2ft 4in



7ft 5in




5ft 11in



14ft 1in



22ft 10in





nifty SP34N



40ft
(A)



33ft 6in
(B)



20ft
(C)



7575lbs



500lbs



3ft 7in x 2ft 2in



6ft 3in



4ft 11in



13ft 5in



2.1mph




13ft 9in



25%
14°



BtEnergy





nifty SP34 4x4



40ft
(A)



33ft 6in
(B)



20ft
(C)



7650lbs



500lbs



3ft 7in x 2ft 2in



6ft 5in



5ft 3in



13ft 5in



2.2mph




14ft 1in



30%
17°




Bí-Energy





nifty SP45N



51ft
(A)



44ft
(B)



32ft
(C)



15980lbs



500lbs



150°



180°



4ft 11in x 2ft 8in



6ft 6in



4ft 11in



16ft 2in



21ft



2.2mph




11ft 6in



25%
14°



All-Electric
Hybrid²





nifty SP45 4x4



51ft 6in
(A)



45ft
(B)



31ft
(C)



9920lbs*/10580lbs



500lbs



150°



180°



5ft 11in x 2ft 9in



6ft 11in



6ft 7in



15ft 9in



20ft 10in



3.7mph




12ft 2in



45%
24°



 **Hybrid²**





nifty SP50N



56ft
(A)



49ft 6in
(B)



32ft
(C)



17155lbs*/16870lbs



500lbs



150°



180°



4ft 11in x 2ft 8in



6ft 6in



4ft 11in



16ft 2in



21ft



2.2mph




11ft 6in



25%
14°



All-Electric
Hybrid²





nifty SP50 4x4



56ft 6in
(A)



50ft
(B)



31ft
(C)



11020lbs



500lbs



150°



180°



5ft 11in x 2ft 9in



6ft 11in



6ft 7in



15ft 9in



20ft 10in



3.7mph




12ft 2in



45%
24°



Hybrid²





nifty SP64 4x4



68ft 6in
(A)



62ft
(B)



42ft 8in
(C)



14730lbs



600lbs
*550lbs



150°



160°



5ft 11in x 2ft 8in
*7ft 10in x 2ft 11in



7ft 2in



7ft 5in



17ft 11in



22ft



3.7mph




12ft 9in



45%
24°



Hybrid²



* Alternate Cage Option





nifty SP85 4x4



92ft
(A)



85ft 6in
(B)



62ft
(C)



32300lbs



620lbs



150°



180°



7ft 10in x 2ft 11in



8ft 10in



8ft 2in



23ft 11in



30ft 5in



3mph




19ft 4in



40%
22°



Hybřid²





nifty SD34T 4x4



42ft
(A)



35ft
(B)



20ft
(C)



4980lbs



500lbs



3ft 7in x 2ft 2in



6ft 5in



5ft 1in



10ft 6in



12ft 10in



3.6mph




12ft 10in



45%
24°



Bⁱ-Energy





nifty SD50 4x4



56ft
(A)



49ft 6in
(B)



28ft 6in
(C)



kg/lb 6000lbs



500lbs



Option



3ft 7in x 2ft 2in



7ft 3in



5ft 3in



14ft 5in



18ft 4in



5.2mph




17ft



30%
17°



B³Energy





nifty SD64 4x4x4



70ft
(A)



63ft 6in
(B)



42ft
(C)



8700lbs



500lbs



150°



100°



5ft 11in x 2ft 9in



7ft 5in



6ft 9in



13ft 9in



20ft 2in




5.6mph



11ft 6in



45%
24°





nifty TD34TN



40ft
(A)



33ft 6in
(B)



20ft
(C)



4170lbs



500lbs



3ft 7in x 2ft 2in



6ft 3in



2ft 7in



3ft 9in



9ft 10in




13ft



1mph



60%
31°





nifty TD34T



40ft
(A)



33ft 6in
(B)



20ft
(C)



4170lbs



500lbs



3ft 7in x 2ft 2in



6ft 3in



3ft 7in



11ft 8in




13ft



1mph



60%
31°





nifty TD42T



48ft 6in
(A)



42ft
(B)



25ft
(C)



4500lbs



500lbs



4ft 7in x 2ft 4in



6ft 7in



4ft 7in



12ft 6in




15ft 5in



1.3mph



45%
24°







	TM34	TM34T	TM42T	TM50	TM64
1. [lb _f]	1878	2160	2649	3156	4920
2. [lb/in ² (psi)]	66	43	54	38	47

	SD34T	SD50	SD64	TD34TN	TD34T	TD42T
1. [lb _f]	3288	3900	5520	2802	2802	3000
2. [lb/in ² (psi)]	65	50	64	56	56	62

1.



2.

**SP34N****SP34 4x4****SP45N****SP45 4x4****SP45 Hybrid**1. [lb_f]

4845

4890

9888

6252

6648

2. [lb/in² (psi)]

82

63

188

109

116

SP50NE**SP50N Hybrid****SP50 4x4****SP64 4x4****SP85 4x4**1. [lb_f]

10593

10422

6912

9198

19752

2. [lb/in² (psi)]

201

198

121

160

188

niftylift



Niftylift Inc

1525 S. Buncombe Road,
Greer, SC 29651 USA

 1-800-643-8954

 usasales@niftylift.com

 www.niftylift.com



All specifications are as guideline only and were correct at time of printing. Those shown in white indicate a standard feature, grey indicates an option. Niftylift reserves the right to change any specification without notice. Weights stated are minimums and vary according to options, please confirm before ordering.

niftylift.com